WHITE BRIONY.

NAMES.

A. وَاشْر

G. Βρυωνια.

L. Bryonia Alba.

I. Brionia.

G. Zaunreben.

F. Brione.

S. Nuezablanca.

D. Wilde Wijn-garet.

PARTS USED.
The Root.

PREPARATIONS.
Compound Briony Water, and the Fæcula Brionia.

PLACE.
Lanes & Hedges which are often Coverd with It.

TIME.
It Flowers in May & and in Sept the Berries are ripe.

DESCRIPTION.

The Root whose outside is of a whitish Clay Colour, and white within is Sometimes very large, but of no Certain Shape, growing deep, from which grows many woody Stalks 1 cranell, Twisting of a light green, with Tendrils of the Same Colour. The Leaves 2 are not of so light a Green, set with hard Short Spines, that makes them very Rough. The Cup 3 and Flower is one Peice, the part Resembling the Empalement has five Points, that are at the Gashes of the Flower 4 which is a whitish Green. These are followd with Scarlet Shining Berries 5 full of Seeds.

VIRTUES.

This is a Strong Carthartic, and also works Upwards, tis said to be of Service in Dropsies and the Gout, and is also used in Hystoric Disorders Palsy and Epilepsy.

T. Sheldrake delin. C. H. Hemenich sculp.

M. H. S.